

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((database repository table) with (record entry) with (multiple plurality several many) with (device)) and (mask\$3 with (feature attribute record) with compatib\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 00:40
L2	15	((mask\$3 suppres\$4) with (feature attribute field) with (table database repository record entry) with configuration with (client device system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 00:41
L3	296	((record entry) with parameter) and ((mask\$3 suppres\$4) with parameter with (system client device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 00:47
L4	48	((record entry) with parameter) and ((mask\$3 suppres\$4) with parameter with (system client device) with (model type tmodel veraion))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 00:48
L5	48	((record entry) with parameter) and ((mask\$3 suppres\$4) with parameter with (system client device) with (model type tmodel vera\ sion))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 00:48
L6	48	((record entry) with parameter) and ((mask\$3 suppres\$4) with parameter with (system client device) with (model type tmodel version))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 00:48
L7	1	((record entry) with parameter) and ((mask\$3 suppres\$4) with parameter with (system client device) with (model type tmodel version)) and (bitmap with mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 00:51

L8	48	((record entry) with parameter) and ((mask\$3 suppress\$4) with parameter with (system client device) with (model type tmodel version))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 00:52
L9	35	((record entry) with parameter) and ((mask\$3 suppress\$4) with parameter with (system client device) with (model type tmodel version)) and @ad< "20030725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 00:52
L10	2962	(mask\$3 with record) and @ad< "20030725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 00:55
L11	1	(mask\$3 with record with (device system client) with configuration) and @ad< "20030725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 00:55
L12	12	"5794244"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:06
L13	987	(mask\$3 with data with (device) with (type model configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:08
L14	515	(mask\$3 with data with (device) with (type model configuration)) and (database repository table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:09
L15	3	((table record) with (attribute feature)) and ((mask\$3 suppress\$4) with (attribute feature) with compatib\$8 with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:10

L16	47881	((access\$3 quer\$4) with (data table resource database) with (device system) with (type model configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:12
L17	910142	((access\$3 quer\$4) with (data table resource database) with (device system) with (type model configuration)) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:12
L18	5352	((access\$3 quer\$4) with (data table resource database) with (device system) with (type model configuration)) and mask \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:13
L19	11	(table with feature with bit with record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:16
L20	2269	((feature adj table) (feature with record with matrix))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:25
L21	43	((feature adj table) (feature with record with matrix)) and ((bit\$1mask bit\$1map (bit with (mask \$3 map\$4))) with (device system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:26
L22	3787	((record data table) with (feature field attribute)) and ((feature attribute field) with (device system) with matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:32
L23	94	((record data table) with (feature field attribute)) and ((feature attribute field) with (device system) with matrix) and (bit with mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:32

L24	40	((record data table) with (feature field attribute)) and ((feature attribute field) with (device system) with matrix) and (bit with mask\$3) and compatib\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:33
L25	6	"707"/.ccls. and ((record data table) with (feature field attribute)) and ((feature attribute field) with (device system) with matrix) and (bit with mask\$3) and compatib\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:33
L26	110	"707"/.ccls. and honeywell.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:36
L27	21	"707"/.ccls. and honeywell.as. and mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:36
L28	0	"707"/.ccls. and honeywell.as. and (mask\$3 with feature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:37
L29	66	honeywell.as. and (mask\$3 with feature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:37
L30	22	honeywell.as. and (mask\$3 with feature) and compatib\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:38
L31	0	honeywell.as. and (mask\$3 with feature) and (gregg with skow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:39

L32	0	honeywell.as. and (mask \$3 with feature) and (gregg with skow).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:40
L33	1	(mask\$3 with feature) and (gregg with skow).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:40
L34	1	(gregg with skow).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:40
L35	302	((database repository) with (multiple many several plurality) with (system device) with compatible)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:44
L36	1	((database repository) with (multiple many several plurality) with (system device) with compatible) and (bit with vector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:44
L37	86	(determin\$6 with record with compatible with (system device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:53
L38	9	(determin\$6 with record with compatible with (system device)) and (record with (feature attribute))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:53
L39	17384	((filter\$3 mask\$3 suppress \$4) with (catalog database table repository) with (device system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:57

L40	39	((filter\$3 mask\$3 suppress \$4) with (catalog database table repository) with (device system) with schema)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:58
L41	3	((filter\$3 mask\$3 suppress \$4) adj2 (catalog database table repository) with (device system) with schema)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 01:59
L42	77	((matrix table) with (map \$4) with (device system) with (record entry) with (match\$3 compatible))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 02:11
L43	5	((matrix table) with (map \$4) with (device system) with (record entry) with (match\$3 compatible)) and ((table matrix) with (record entry) with (feature attribute element field) with bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 02:13
L44	13	(compar\$4 with ((bit with (vector map mask)) bitmask bitmap) with (system device client) with (record tuple))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 02:25
L45	4	(matrix with bit with (feature attribute) with record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 02:42
L46	62	((matrix table) with bit with (feature attribute) with record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 02:42
L47	27	((matrix table) with bit with (feature attribute) with record) and (record with (mask map bitmap bitmask))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 02:43

L48	0	((matrix table) with bit with (feature attribute) with record) and (record with (mask map bitmap bitmask)) and @ad< "07252003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 02:44
L49	15	((matrix table) with bit with (feature attribute) with record) and (record with (mask map bitmap bitmask)) and @ad< "20030725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 02:45
L50	19	((matrix table) with bit with (feature attribute) with record) and (record with (mask map bitmap bitmask vector)) and @ad< "20030725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 02:46
L51	0	"200500215353" and (return with type with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:33
L52	0	"200500215353"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:33
L53	2	"20050021535"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:34
L54	1	"20050021535" and (return with type with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:34
L55	3	((bit feature) adj mask) with indicat\$4 with (compatib\$8 match) with (device system) with (record tuple entry))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:43

L56	352	(compar\$4 with (feature attribute) with record with (device system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:45
L57	4	(compar\$4 with (feature attribute) with record with (device system)) and ((bit feature) adj (mask map))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:46
L58	598	(matrix with bit with (device system) and record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:48
L59	65	(divid\$3 with table with (sub\$1table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:53
L60	1	(divid\$3 with table with (sub\$1table)) and (stor\$3 with record with (attribute feature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:54
L61	0	(partition\$3 with table with sub\$1table) and (stor\$3 with record with (attribute feature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:55
L62	22	(partition\$3 with table with sub\$1table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:55
L63	12	(partition\$3 with table with sub\$1table) and @ad< "20030723"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:56

L64	20	"5710915" and (partition \$3 with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 03:59
L65	0	"6804664" and (media medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 05:00
L66	5	"6804664"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 05:00
L67	4	"6804664" and (memory product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 05:00
L68	0	"6804664" and (header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 05:15
L69	9	(database with table with pointer with ((describ\$3 description definition defin \$3) adj2 table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 05:48
L70	7	(database with table with pointer with ((describ\$3 description definition defin \$3) adj2 table)) and (type format\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 05:51
L71	58	"5201046" and header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 06:08

L72	5	"5201046" and header and (header with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 06:09
L73	36	"5201046" and header and (header with (location point\$3 locat\$4 address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 06:09
L74	16	("6804664" "5710915") and header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 06:12

4/ 13/ 2009 6:30:40 AM

**C:\ Documents and Settings\ kloveI\ My Documents\ EAST\ Workspaces\ 10627492\ 10627492_3.
w sp**